

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6

LJP 394:






Figure 7






Figure 9





Figure 10



** p<0.0001

Figure 11






Figure 12



(1) Nominal values


(2) 5 point change considered clinically meaningful

Figure 13




- (1) Nominal values
- (2) 5 point change considered clinically meaningful

Figure 14




(1) 5 point change considered clinically meaningful

Figure 15




(1) 5 point change considered clinically meaningful

Figure 16



(1) 5 point change considered clinically meaningful


Figure 17



(1) 5 point change considered clinically meaningful

p-value (1)


Figure 18



(1) Nominal values


(2) 2.5 point change score considered clinically meaningful

Figure 19




- (1) Nominal values
- (2) 2.5 point change score considered clinically meaningful

Figure 20




(1) 5 point change considered clinically meaningful

Figure 21




- (1) Nominal values
- (2) 2.5 point change score considered clinically meaningful

Figure 22



(1) 5 point change considered clinically meaningful

Figure 23



(1) 5 point change considered clinically meaningful

Figure 24




Figure 25





Figure 26



(1) 5 point change considered clinically meaningful

Figure 27




Figure 28






Figure 29




(1) 5 point change considered clinically meaningful

Figure 30




(1) 2.5 point change considered clinically meaningful

Figure 31




(1) 5 point change considered clinically meaningful

Figure 32



(1) 2.5 point change score considered clinically meaningful

Figure 33



(1) 2.5 point change score considered clinically meaningful